D 92249

(Pages: 3)

Name.....

Reg. No.....

# THIRD SEMESTER B.Sc. DEGREE EXAMINATION, NOVEMBER 2015

### (CUCBCSS-UG)

Core Course-Chemistry

### CHE 3B 03-PHYSICAL CHEMISTRY - I

Time : Three Hours

Maximum : 80 Marks

### Section A (One word)

Answer all questions. Each question carries 1 mark.

- 1. The temperature above which a gas cannot be liquefied by applying pressure is called

3. The entropy change of the system during an adiabatic process is -

4. For an isothermal process, the work done is at the expense of \_\_\_\_\_

5. The standard enthalpy of a pure element is taken as ——

- 6. According to \_\_\_\_\_ law, thermochemical equations can be added or multiplied.
- 7. The heat of neutralisation of a strong acid by a strong base is always -----
- 8. At the normal B.P. of a liquid its vapour pressure will become equal to -----
- 9. The S.I. unit of surface tension is \_\_\_\_\_
- 10. Chemical equilibrium is \_\_\_\_\_ in nature.

 $(10 \times 1 = 10 \text{ marks})$ 

### Section B (Short answer)

Answer any **ten** questions. Each question carries 2 marks.

- 11. Calculate the r.m.s. velocity of  $H_2$  molecule at 27°C.
- 12. Write the vander Waals' equation for 'n' moles of a gas and explain the terms.
- 13. Differentiate between extensive and intensive properties.
- 14. Calculate the work done during the isothermal reversible expansion of 10 moles of an ideal gas from 10 dm<sup>3</sup> to 20 dm<sup>3</sup> at 27°C.
- 15. The vander Waals' constants 'a' and 'b' for a gas are  $1.40 \times 10^{-1}$  Nm<sup>4</sup> mol<sup>-2</sup> and  $3.9 \times 10^{-5}$ m<sup>3</sup> mol<sup>-1</sup>, respectively at 27°C. Calculate the inversion temperature of the gas.

- 16. The standard enthalpy of a compound is the same as its standard heat of formation. Illustrate with an example.
- 17. The heat of formation of CO<sub>2</sub> and CO are 393.5 kJ and 110.5 kJ respectively. Calculate the heat of combustion of CO.
- 18. What is meant by residual entropy? Explain with example.
- 19. Write any four factors that affect the viscosity of a liquid.
- 20. The viscosity of an oil of density  $0.97 \text{ gcm}^{-3}$  is  $5 \times 10^{-2} \text{ Nm}^{-2}$  at 27°C. Calculate the time required for a given volume of the oil to flow through a viscometer, if the same volume of water takes 50 seconds to flow through the viscometer. The coefficient of viscosity and density of water respectively are  $8.9 \times 10^{-4} \text{ Nm}^{-2}$  and  $1 \text{ gcm}^{-3}$ .
- 21. What are heterogeneous equilibria ? Give example.
- 22. For the reaction  $2 \operatorname{NO}_{(g)} + \operatorname{Cl}_{2(g)} \rightleftharpoons 2\operatorname{NOCl}_{(g)}$ , the value of Kp is  $2 \times 10^3$  a.t.m. at 27°C. Calculate the value of Kc.

 $(10 \times 2 = 20 \text{ marks})$ 

### Section C (Paragraph)

# Answer any five questions. Each question carries 6 marks.

- 23. What are the features of Maxwell's distribution of molecular velocities ? Explain the effect of temperature in the distribution.
- 24. What is meant by compressibility factor of a gas ? Explain its significance.

11/20

- 25. State and formulate the first law of thermodynamics. Mention the important limitations of the law. How could the second law of thermodynamics overcome these limitations ?
- 26. Derive the Clausius-Clapeyron equation for the liquid  $\Rightarrow$  vapour equilibrium. Give any two applications of the law.
- 27. What is meant by thermodynamic probability? Deduce the relation between entropy and probability of a system.
- 28. What is parachor ? How is it used to elucidate the structure of compounds ? Illustrate with an example.
- 29. State and explain Le-Chatelier principle. Discuss the effect of temperature and pressure in the equilibrium  $2SO_2(g) + O_2(g) \rightleftharpoons 2SO_3(g); \Delta H = -192.5 \text{ kJ}.$
- 30. Derive the equilibrium constant Kc for the reaction  $aA + bB \rightleftharpoons cC + dD$ . How is the value of Kc related to Kp?

D 92249

 $(5 \times 6 = 30 \text{ marks})$ 

### Section D (Essay)

# Answer any **two** questions. Each question carries 10 marks.

- 31. (i) What are critical constants? How are they related to vander Waals' constants? (6 marks)
  (ii) Explain the determination of critical volume of a gas. (4 marks)
- 32. (i) Describe the different strokes in the Carnot cycle and show that the efficiency of a heat engine depends only on the temperatures of the source and the sink.

(6 marks) (4 marks)

- (ii) Derive the Gibb's-Duhem equation.
- 33. (i) What is Joule-Thompson coefficient? Derive an equation for the Joule Thomson coefficient of a gas.

(6 marks)

(ii) The free energy change of a reaction at 27°C and 37°C are - 85.77 kJ and - 83.68 kJ respectively. Calculate the enthalpy change of the reaction at 32°C.

(4 marks)

34. (i) The enthalpy of formation of  $NH_3$  is – 46 kJ at 300 K. Calculate the enthalpy of formation at 325 K. The molar heat capacities at constant pressure of  $N_2$ ,  $H_2$  and  $NH_3$  are 28.4, 28.3 and 37 JK<sup>-1</sup> mol<sup>-1</sup> respectively.

(4 marks)

(ii) Derive an equation for the variation of equilibrium constant of a reaction with temperature. (6 marks)

 $[2 \times 10 = 20 \text{ marks}]$ 

3