

Reg. No. :

Name :

First Semester B.Sc. Degree Examination, November 2019
First Degree Programme under CBCSS
Complementary Course I for Chemistry and Polymer Chemistry
MM 1131.2 : MATHEMATICS I – CALCULUS WITH APPLICATIONS IN
CHEMISTRY – I
(2018 Admissions Onwards)

Time : 3 Hours

Max. Marks : 80

PART – I

Answer **all** questions. **Each** question carries **1** mark.

1. Find the derivative of $\frac{1}{x^3 + 2x - 3}$ with respect to x .
2. Use implicit differentiation to find $\frac{dy}{dx}$ if $4x^2 - 2y^2 = 9$.
3. Find the argument of the complex number $z = 2 - 3i$.
4. Give the polar form of the complex number $2i$.
5. Find the conjugate of the complex number $z = (x + 5i)^{(3y - 2ix)}$.
6. Find $\frac{dy}{dx}$ where $y = \cosh(x^3)$.

7. Evaluate $\int xe^3 dx$.
8. Two particles have velocities $\vec{v}_1 = \hat{i} + 3\hat{j} + 6\hat{k}$ and $\vec{v}_2 = \hat{i} - 2\hat{k}$ respectively. Find the velocity \vec{u} of the second particle relative to the first.
9. Find a unit vector normal to both the vectors $\vec{a} = \hat{i} + 2\hat{j} - 3\hat{k}$ and $\vec{b} = -4\hat{i} + \hat{j} + 2\hat{k}$.
10. Give the equation of the line through the fixed point A with position vector \vec{a} and having a direction \vec{b} .

PART – II

Answer any **eight** questions. **Each** question carries **2** marks.

11. Find the third derivative of the function $f(x) = x^2 \cos x$, using Leibnitz' theorem.
12. Verify Rolle's theorem for the function $f(x) = x^2 + 6x$ on $[-6, 0]$.
13. Find $f'(x)$ if $f(x) = \sqrt{4 + \sqrt{3x}}$.
14. Find the interval on which $f(x) = 5 + 12x - x^3$ is increasing.
15. Find the general value of $\text{Ln}(-i)$.
16. Express $z = \frac{x-2i}{-1+4i}$ in the form $x+iy$.
17. Prove that $\cosh x - \cosh y = 2 \sin\left(\frac{x+y}{2}\right) \sinh\left(\frac{x-y}{2}\right)$.
18. Evaluate $\int_0^2 (2-x)^{-1/4} dx$.
19. Find the mean value of the function $f(x) = x^2$ over $[-1, 2]$.
20. Find the angle between the vectors $\vec{a} = \hat{i} - 2\hat{j} + 2\hat{k}$ and $\vec{b} = -3\hat{i} + 6\hat{j} - 6\hat{k}$.

21. Find the area of a triangle which is determined by the points $P_1(2,0,-3)$, $P_2(1,4,5)$ and $P_3(7,2,9)$.
22. Find an equation of the line in space that passes through the points $P_1(2,4,-1)$ and $Q(5,0,7)$.

PART – III

Answer any **six** questions. **Each** question carries **4** marks.

23. Find the positions and natures of the stationary points of the function $f(x) = x^3 - 3x^2 + 3x$.
24. Show that the radius of curvature at the point (x, y) on the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$ has magnitude $\frac{(a^4 y^2 + b^4 x^2)^{3/2}}{a^4 b^4}$ and the opposite sign to y .
25. Verify Mean Value theorem for $f(x) = x^3 + x - 4$ in $[-1, 2]$. Find all values of c in that interval which satisfy the conclusion of the theorem.
26. Express $\cos 4\theta$ in powers of $\cos \theta$ and $\sin \theta$.
27. Prove that $\cos^7 \theta = \frac{1}{64}(\cos 7\theta + 7 \cos 5\theta + 21 \cos 3\theta + 35 \cos \theta)$.
28. Find all values of $(-1)^{1/6}$.
29. Find the volume of the parallelepiped with sides $\vec{a} = \hat{i} + 2\hat{j} + 3\hat{k}$, $\vec{b} = 4\hat{i} + 5\hat{j} + 6\hat{k}$ and $\vec{c} = 7\hat{i} + 8\hat{j} + 10\hat{k}$.
30. Find the minimum distance from the point P with sides coordinates $(1, 2, 1)$ to the line $\vec{r} = \vec{a} + \lambda \vec{b}$, where $\vec{a} = \hat{i} + \hat{j} + \hat{k}$ and $\vec{b} = 2\hat{i} - \hat{j} + 3\hat{k}$.
31. A line is given by $\vec{r} = \vec{a} + \lambda \vec{b}$, where $\vec{a} = \hat{i} + 2\hat{j} + 3\hat{k}$ and $\vec{b} = 4\hat{i} + 5\hat{j} + 6\hat{k}$. Find the coordinates of the point P at which the line intersects the plane $x + 2y + 3z = 6$.

PART – IV

Answer any **two** questions. **Each** question carries **15** marks.

32. (a) At what point does $y = e^x$ have maximum curvature? (7)
- (b) Solve the equation $z^5 + z^4 + z^2 + 1 = 0$. (8)
33. (a) If $I_n = \int_0^{\pi/2} \sin^n x dx$ and if n is any positive integer, show that $I_n = \frac{n-1}{n} I_{n-2}$.
Hence evaluate $\int_0^{\pi/2} \sin^6 x dx$. (7)
- (b) Find the area and perimeter of the Cardioid $\rho = 1 - \cos \phi$. (8)
34. (a) Find the area of the surface that is generated by revolving the portion of the curve $y = x^2$ between $x = 1$ and $x = 2$ about the y -axis. (7)
- (b) Find an equation of the plane that contains the line $x = -2 + 3t, y = 4 + 2t, z = 3 - t$ and is perpendicular to the plane $x - 2y + z = 5$. (8)
35. (a) Find an equation of the plane whose points are equidistant from $(2, -1, 1)$ and $(3, 1, 5)$. (5)
- (b) Find the radius ρ of the circle that is the intersection of the plane $\hat{n} \cdot \vec{r} = p$ and the sphere of radius a centered on the point with position vector \vec{c} . (10)
-