



K18U 1003

Reg. No. :

Name :

IV Semester B.Sc. Degree (CBCSS – Reg./Sup./Imp.) Examination, May 2018
(2014 Admn. Onwards)

COMPLEMENTARY COURSE IN MATHEMATICS
4C04 MAT-CS : Mathematics for Computer Science – IV

Time : 3 Hours

Max. Marks : 40

SECTION – A

All the first 4 questions are **compulsory**. They carry 1 mark each :

1. Find a parametric representation of the circle of radius, center (4, 6).
2. Define line integral of a vector function over a curve.
3. Define interpolation.
4. Give Picard's iteration formula to solve the differential equation
 $y' = f(x, y) \quad y(x_0) = y_0$ (4×1=4)

SECTION – B

Answer **any 7** questions from among the questions 5 to 13. These questions carry 2 marks each.

5. Find the first and second derivative of $F = 4\cos ti + 4 \sin tj + 2t$.
6. Find the divergence of the vector function $[x^2 + y^2, 2xyz, z^2 + x^2]$.
7. Check whether the integral $\int_{(0,0)}^{(4, \pi/2)} e^x \sin y dx + e^x \cos y dy$ is independent of the path.
8. Evaluate using Green's theorem evaluate $\int_C F(r).dr$ for the function
 $F = y \sin xi + 2xy \cos y$ where c is the rectangle with vertices
(0, 0), $(\pi/2, 0)$ $(\pi/2, \pi/2)$ and $(0, \pi/2)$.

P.T.O.



9. Evaluate the flux integral $\iint_S F \cdot n \, dA$ for the following data $F = [x^2, y^2, z^2]$
 $S : x + y + z = 4, x \geq 0, y \geq 0, z \geq 0$.
10. Evaluate using Divergence theorem $\iint_S F \cdot n \, dA$, $F = [x, y, x]$ and S is the surface of the sphere $x^2 + y^2 + z^2 = 9$.
11. Obtain a root of $x^3 - x - 4 = 0$ using bisection method.
12. Find the cubic polynomial which takes the following values $y(0) = 1, y(1) = 0, y(2) = 1, y(3) = 10$.
13. Explain second order Runge-Kutta Method. (7×2=14)

SECTION – C

Answer **any 4** questions from among the questions **14 to 19**. These questions carry **3 marks each**.

14. If f is a differentiable scalar function, show that $\text{curl}(\text{grad}f) = 0$.
15. Evaluate $\iint_S G(r) \, dA$ where $G = \cos y + \sin x$ and $S : x + y + z = 2, x \geq 0, y \geq 0, z \geq 0$.
16. Use Stoke's theorem to evaluate $\oint_C F \cdot dr$, $F = [4z, -2x, 2x]$ C is the intersection of $x^2 + y^2 = 1$ and $z = y + 1$.
17. Find a real root of the equation $f(x) = x^3 - 2x - 5 = 0$ using the method of false position.
18. Form a table of difference for the function $f(x) = x^3 + 5x - 7$ $x = -1, 0, 1, 2, 3, 4, 5$. Obtain $f(6)$ from the table.
19. Using Euler's method find $y(0.01), y(0.03)$ given that $y' = -y, y(0) = 1$. (4×3=12)



SECTION – D

Answer **any 2** questions from among the questions **20** to **23**. These questions carry **5** marks **each**.

20. Let $f = zy + yx$ $v = [y, z, 4z - x]$ verify that $\text{curl}(fv) = \text{grad}f \times v + f\text{curl}v$.

21. Verify Green's theorem for $F = [y^2 - 7y, 2xy + 2x]$ and c is the circle $x^2 + y^2 = 1$.

22. Evaluate $\int_1^3 \frac{1}{x} dx$ by Simpson's 1/3 rule with 4 steps.

23. Given $\frac{dy}{dx} = 1 + y^2$ where $y = 0$ when $x = 0$ Find $y(0.2)$ and $y(0.4)$ using fourth order Runge Kutta Method. (2×5=10)